

# CHEMTALL INCORPORATED

PO BOX 250, RICEBORO, GA 31323  
Tel : (912) 884 3366 - Fax : (912) 884 5031

## Technical Data Sheet



### FLOERGER<sup>Ø</sup> AN 923 SH

<b>Appearance</b>		<b>White powder</b>
<b>Ionic character</b>		<b>Anionic</b>
<b>Molecular weight</b>		<b>High</b>
<b>Mesh size</b>	<b>% &lt;100 mesh :</b>	<b>10</b>
	<b>% &gt; 10 mesh :</b>	<b>2</b>
<b>Approx. bulk density</b>		<b>0.80</b>
<b>Brookfield viscosity (cps) <sup>††</sup></b>	<b>@ 5.0 g/l</b>	<b>1600</b>
	<b>@ 2.5 g/l</b>	<b>600</b>
	<b>@ 1.0 g/l</b>	<b>200</b>
<b>Recommended working concentration (g/l)</b>		<b>3</b>
<b>Maximum concentration (g/l)</b>		<b>5</b>
<b>Dissolution time (minutes) in DI water @ 5 g/l, 25°C</b>		<b>60</b>
<b>Stability of D.I. solution (days)</b>		<b>10</b>
<b>Storage temperature (°C)</b>		<b>0 - 35</b>
<b>Shelf life (months)</b>		<b>24</b>

<sup>††</sup> Average values given for determination of preparation and dosing equipment for which a viscosity 10 times lower can be used.

The data in this Technical Data Sheet is provided for information only. It is correct to the best of our knowledge, information and belief at the date of its publication. It does not constitute a specification and no liability is assumed, nor freedom from any existing patents.